



FINNISH SAUNA JF0150


Specifications and assembly instructions

SPECIFICATIONS



Model	JF0150
Dimensions	1500x1050x1900 mm
Number of persons	3
Wood	Finnish pine, 48 mm
Glass	Transparent, hardened, 6 mm
Courses	Stainless steel
Control	Buttons on the stove
Operating time	Up to 90 min
Temperature	Up to 90 °C
Ventilation	Yes
Connectivity	/
Lighting	LED RGB central light
Oven	4.5 kW, with thermostat, timer and volcanic stone
Connection	Socket 230 V, 50 Hz, 25 A fuse or Socket Euro 400 V, 50 Hz, 3x16 A fuse
Weight	175 kg

COMPONENTS



- 1 Cover plate
- 2 Ceiling panel
- 3 Back plate
- 4 Left side
- 5 Stove

- 6 Stove frame
- 7 Right side
- 8 Front panel with glass panels
- 9 Bench
- 10 Bottom

RECOMMENDED TOOLS



Screwdriver



Meter



Screws



A knife



Screwdriver



A ladder

ASSEMBLY TIPS

Please remove the transport packaging and check that your sauna has been delivered complete and undamaged before starting assembly. At least two people are needed to assemble the sauna.



ASSEMBLY STEPS



1. Bottom



2. Back plate



3. Left side - fasten the buckles



4. Right side - fasten the buckles



5. Bench



6. Front side with glasses - fasten the buckles



7. Handle



8. Ceiling panel



9. Screw the ceiling panel to the upper part of the side panels








10. Cover plate



11. Stove and stove frame

Installing the outer buckle



Installation of hinges, handle and cover



1. Install the hinges - the soft parts should be next to the glass, on the inside of the hinges




2. Install the handle, screws from the inside of the sauna.



3. Install the cover plate



Single-phase connection



Three-phase connection

